

SAFETY DATA SHEET

SANDALWOOD WAX

Page: 1

Compilation date: 11-03-2017

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: SANDALWOOD WAX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC3: Air care products.

1.3. Details of the supplier of the safety data sheet

Company name: Sensory Perfection
135 Hughenden Road
Hastings
East Sussex
TN34 3TF

Tel: +44 1424 532737

Email: sensoryperfection@gmail.com

1.4. Emergency telephone number

Emergency tel: +44 1424 532737

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Sens. 1A: H317; Aquatic Chronic 2: H411; -: EUH208

Most important adverse effects: Contains tetramethyl acetyloctahydronaphthalenes., 4-allyl-2-methoxyphenol., benzyl salicylate., 3-methyl-4-(2,6,6-trimethylcyclohex-2-en-1-yl)but-3-en-2-one., geraniol., hexyl cinnamaldehyde., citronellol., vetiverol, dipentene, beta-pinene. May produce an allergic reaction. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains tetramethyl acetyloctahydronaphthalenes., 4-allyl-2-methoxyphenol., benzyl salicylate., 3-methyl-4-(2,6,6-trimethylcyclohex-2-en-1-yl)but-3-en-2-one., geraniol., hexyl cinnamaldehyde., citronellol., vetiverol, dipentene, beta-pinene. May produce an allergic reaction.
H317: May cause an allergic skin reaction.
H411: Toxic to aquatic life with long lasting effects.

Hazard pictograms: GHS07: Exclamation mark
GHS09: Environmental



[cont...]

SAFETY DATA SHEET

SANDALWOOD WAX

Page: 2

Signal words: Warning

Precautionary statements: P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of water/.

P321: Specific treatment (see instructions on this label).

P333+313: If skin irritation or rash occurs: Get medical attention.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ACETYL CEDRENE.

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	32388-55-9	-	Aquatic Chronic 1: H410; Skin Sens. 1B: H317; Aquatic Acute 1: H400	2.000%

1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLINDENO[5,6-C]PYRAN

214-946-9	1222-05-5	-	Aquatic Chronic 1: H410; Aquatic Acute 1: H400	2.000%
-----------	-----------	---	--	--------

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES.

-	54464-57-2	-	Skin Irrit. 2: H315; Aquatic Chronic 1: H410; Skin Sens. 1B: H317	0.750%
---	------------	---	---	--------

4-ALLYL-2-METHOXYPHENOL.

-	97-53-0	-	Eye Irrit. 2: H319; Skin Sens. 1B: H317	0.750%
---	---------	---	---	--------

BENZYL SALICYLATE.

-	118-58-1	-	Aquatic Chronic 3: H412; STOT SE 2: H371; Skin Sens. 1B: H317	0.750%
---	----------	---	---	--------

3-METHYL-4-(2,6,6-TRIMETHYLCYCLOHEX-2-EN-1-YL)BUT-3-EN-2-ONE.

-	127-51-5	-	Skin Irrit. 2: H315; Aquatic Chronic 2: H411; Skin Sens. 1B: H317	0.750%
---	----------	---	---	--------

GERANIOL.

-	106-24-1	-	Skin Irrit. 2: H315; Eye Dam. 1: H318; Skin Sens. 1: H317	0.300%
---	----------	---	---	--------

[cont...]

SAFETY DATA SHEET

SANDALWOOD WAX

Page: 3

HEXYL CINNAMALDEHYDE.

-	101-86-0	-	Aquatic Chronic 2: H411; Aquatic Acute 1: H400; Skin Sens. 1B: H317	0.300%
---	----------	---	---	--------

ISO EUGENOL.

-	97-54-1	-	Acute Tox. 4: H302; Skin Sens. 1A: H317; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Acute Tox. 4: H312	0.300%
---	---------	---	--	--------

CITRONELLOL.

-	106-22-9	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319; Skin Sens. 1B: H317	0.300%
---	----------	---	--	--------

VETIVEROL

-	68129-81-7	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319; Skin Sens. 1B: H317	0.300%
---	------------	---	--	--------

DIPENTENE

205-341-0	138-86-3	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	0.300%
-----------	----------	---	---	--------

BETA-PINENE.

-	127-91-3	-	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1B: H317	0.100%
---	----------	---	---	--------

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

[cont...]

SAFETY DATA SHEET

SANDALWOOD WAX

Page: 4

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.
Do not create dust. Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or spread of dust in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

[cont...]

SAFETY DATA SHEET

SANDALWOOD WAX

Page: 5

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Respiratory protective device with particle filter.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Wax

Colour: Cream

Odour: Characteristic odour

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

[cont...]

SAFETY DATA SHEET

SANDALWOOD WAX

Page: 6

Hazardous ingredients:

DIPENTENE

IVN	MUS	LD50	1010	µl/kg
ORL	MUS	LD50	5550	µl/kg
ORL	RAT	LD50	5300	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Respiratory/skin sensitisation	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

[cont...]

SAFETY DATA SHEET

SANDALWOOD WAX

Page: 7

Section 14: Transport information

14.1. UN number

UN number: UN3077

14.2. UN proper shipping name

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3. Transport hazard class(es)

Transport class: 9

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.
H226: Flammable liquid and vapour.
H302: Harmful if swallowed.
H304: May be fatal if swallowed and enters airways.
H312: Harmful in contact with skin.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.

[cont...]

SAFETY DATA SHEET

SANDALWOOD WAX

Page: 8

H319: Causes serious eye irritation.

H371: May cause damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.